

AirFlex® TRIO junior

3 Cell-Cycle Alternating Pressure Paediatric Mattress Replacement System

Airflex Trio junior is an innovative, cost effective 3 cell-cycle alternating pressure air mattress **specifically designed for children.**

The mattress features advanced solenoid technology to facilitate the rapid redirection of airflow that enables the regular and effective off-loading of interface pressure on vulnerable tissue.

Small diameter cells specifically programmed to paediatric pressure settings, provide higher efficacy and greater patient comfort in the paediatric environment. Advanced engineering has created a dynamic support surface that is therapeutic for **paediatric patients weighing from 0-60kg.**

The three cell-cycle, with cell-in-cell technology, provides superior comfort for paediatric use. The step-down mode provides added comfort for small/light weight patients..

The Airflex TRIO junior allows for the regular and effective relief of interface pressure beneath the bony prominences. At all times the individual is **supported by 50% more cells** than found in traditional 2:1 cell-cycle alternating mattresses. This provides a **material improvement in comfort and care** to children of all ages.


AirFlex® TRIO junior is part of the new innovative range of mattress solutions designed to fulfil the paediatric requirements of 'affordable healthcare.'

Recommended for nursing paediatric patients who:

Have limited mobility / require occasional manual repositioning







Are at a high risk of developing pressure injuries



Have an established pressure injury / have a history of pressure injuries



3 CELL-CYCLE:



Patient Safety and Comfort

- 3 cell cycle alternation with a 15 minute cycle time provides regular off loading of interface pressure
- Wide diameter tubing enables rapid air-cell deflation 4 times per hour which stimulates reactive hyperaemia in the deep tissues surrounding the vulnerable bony prominences
- Cell-in-cell technology improves patient comfort and safety by providing a permanently inflated base portion beneath the active alternating component of the cell
- Fully automatic adjustment to patient weight and body position
- Dual comfort settings available within both Static and Dynamic modes
- Step-down mode improves comfort for small/light weight paediatric patients without compromising pressure relief
- Static mode provides a firm and stable surface for essential nursing procedures such as physiotherapy, wound dressing hygiene and changing bed linen
- Transport mode ensures the mattress remains inflated when moving a patient or in the event of a mains power failure
- V-Lock system prevents accidental disconnection of the power cord

Additional Nursing Support

- Audible and visual alarms provide peace of mind for nursing staff
- Rapid deflation for Cardiopulmonary Resuscitation (CPR)
- Static mode defaults to alternating after 30 minutes
- Unique single 'multi-action' CPR connector
- Simple to use user interface/control panel

Maximises Infection Control

- Waterproof, vapour permeable, Dartex covers provide microclimate control at the skin/mattress interface
- Soft, easy to clean cover contains an antimicrobial agent that can withstand high temperature washing
- Welded seams prevent the ingress of fluids into the mattress
- 360° zip ensures cover can be easily removed for infection control and laundering
- Generous waterfall flap protects the zip

Technical Specifications

Number and size of cells	28 x 70mm
Mattress sizes nominal (bespoke sizes available)	1900 x 880 x 200 mm (standard) 1900 x 800 x 200 mm (narrow)
Max. patient weight	60 kg
Mattress material	Cells: Polyurethane Cover: Dartex [®] two-way stretch Polyurethane coated Nylon
Pump unit dimensions	400 x 160 x 250 mm
Mattress weight	9.2 kg
Pump weight	2.8 kg
Classification	Class B Medical Device / Class II
Mattress - flammability rating	Complies with BS7175 ignition source 0, 1 and 5
Power unit - flammability rating / ingress protection	UL 94 V-0 / IP 42
Power supply / power consumption:	230 V~ ±10%, 50 / 60 Hz 20 W max

Distributed by:



info@pegasushealthcare.com.au

www.pegasushealthcare.com.au

Ph: 1300 33 603

www.roberlimited.com

☎ Tel. +44 (0) 1246 245404

@ info@roberlimited.com

🐦 @RoberLtd



© 2016 AirFlex[®] is a registered trademark of Rober Limited



Rober Limited, Wheatbridge Road, Chesterfield, Derbyshire, S40 2AB, UK.

ROBER

Rober Ltd reserves the right to make technical changes.